



8 in. Bronze Gate Valve. Class 150 Rating, Flanged Connection, Monel Trim, Outside Stem & Yoke (OSY). OKV Rising Stem


<u>Item No.</u>	M101040	<u>UOM</u>	EA
<u>Brand</u>	OKV		
<u>Mfg Part Number</u>	Rising Stem		

[View Product Online to Request Quote](#)

Specifications

<u>Type</u>	Gate Valve
<u>Item Remarks</u>	Outside Stem & Yoke (OSY)
<u>Size</u>	8 in.
<u>Material</u>	Bronze, Brass, Al-Brz
<u>Material Grade</u>	Bronze
<u>Trim</u>	Monel
<u>Pressure Class</u>	Class 150
<u>Connection</u>	Flanged
<u>Specification</u>	ANSI B16.5
<u>Market</u>	Commercial


Product URL: <https://torksystems.com/M101040>



DRAWING FOR REFERENCE

TEST PRESSURE

HYDRAULIC TEST		bar	MPa
	SHELL	24.1	2.41
	SEAT	17.1	1.71



NOTES

- * Applicable Standard
- 1. Valve standard & Code : ASME B16.24
- 2. End Connection : ASME B16.24, FF
- 3. Face to Face : ASME B16.10
- 4. Inspection & Test : API 598

17	WEDGE SEAT RING	MONEL	
16	BODY SEAT RING	MONEL	
15	WHEEL NUT	B124-C37700	
14	HAND WHEEL	A126-CL.B	
13	GREASE NIPPLE	BRASS	
12	SET SCREW	304/304L S.S	
11	GASKET	NON-ASBESTOS	
10	PACKING	PTFE/GRAPHITE	
9	GLAND BOLT/NUT	B124-C37700	
8	BONNET BOLT/NUT	B124-C37700	
7	PACKING GLAND	B62-C83600	
6	YOKE SLEEVE	B62-C83600/B124-C37700	
5	SLEEVE NUT	B62-C83600/B124-C37700	
4	STEM	MONEL	
3	WEDGE	B62-C83600	
2	BONNET	B62-C83600	
1	BODY	B62-C83600	

NO.	PART NAME	MATERIAL	REMARKS		
△	-	-			
△	-	-			
△	-	-			
REV. NO.	DATE	DESCRIPTION	DRW'D BY	CHK'D BY	APP'D BY

[Unit : mm]

NPS	BORE ϕd	FLANGE					L	H	ϕW
		ϕD	ϕC	t	n	ϕh			
8"	203	345	298.5	23.9	8	22	292	910	315

OKV OK KWANG Engineering Co., Ltd.

